

Established 1993

Arrow-Chem

Chemical Manufacturer

9 & 11 Evans Street
Alrode South
Alberton
South Africa

P.O Box 17043
Randhart
1457

Tel: +27 11 900 3633 / 3061 / 1064
Fax: +27 11 900 1273
Cell: +27 73 398 2012
BBM: 2730E0AF

Website: www.arrow-chem.co.za
Email: sales@arrow-chem.co.za



HC SOEKOE cc t/a ARROW CHEM
Reg No: 2002/029572/23 • Vat Reg No: 4600249488

DERUST

COLD APPLICATION RUST REMOVER

Derust is a highly effective rust remover for removing rust and light oils and grease from ferrous metals, oxide film from aluminium, zinc, galvanized iron and brass. Derust has been designed to work most effectively at room temperature thus eliminating heating costs. Derust imparts a light phosphate coating to ferrous metals and zinc and leaves a bright satin finish on aluminium. In all cases it improves paint adhesion. Derust is safe on all stainless steel. Derust is safe on paint for limited exposure, but continuous exposure may cause bleeding and deterioration of the paint surface.

PROPERTIES

- Appearance : Orange / Brown liquid.
- pH (10%) : N/A.
- S.G : N/A.
- Stability : Stable to continued freeze / thaw cycles.

FEATURES

1. Economical to use
2. Requires no heating
3. Requires no sophisticated application. Wipe on wipe off
4. One shot metal treatment product, removes rust, oxide films light oils, and phosphates at the same time

USE DIRECTIONS

Dilute Derust with 2 – 3 parts water. Apply Derust by brush or low pressure spray. Allow to dwell for 2 – 10 minutes then rinse off with clean water and dry as soon as possible.

SAFETY PRECAUTIONS AND FIRST AID

WARNING: Wear protective clothing. Derust is acidic.

EYES : In the case of accidental eye contact, rinse freely with water and seek medical attention urgently.
SKIN : Wash off with water. Seek medical attention urgently.
INGESTION : Give milk to drink. Seek medical attention urgently.
INHALATION : Move to fresh air.
NOTE : DO NOT MIX WITH ANY CHEMICALS.
REF : DERUST001
DATE : 4 MARCH 2012